



ЈАВНО ПРЕДУЗЕЋЕ ШУМАРСТВА

Шуме Републике Српске

а . д . СОКОЛАЦ

THE PRICE LIST

of forest wood assortment

and

forest biomass

WITH CODES

Pursuant to Article 40 of the Statute of the Public Forestry Company “Šume Republike Srpske”, Inc. Sokolac, the Supervisory Board of the Public Company issues the

THE PRICE LIST
of forest wood assortment
– with codes –

conifers		tree species: F I R (code 21)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	04	21-04-F	D.B4.021	35-39	≥ 2	231	220	195	
					40-49		252	240	215	
					≥ 50		273	260	235	
	saw logs		I _{qual.cl.}	21-04-1	D.B4.029	25-39	≥ 4	180	168	143
						40-49		189	177	152
						≥ 50		204	192	167
			II _{qual.cl.}	21-04-2	D.B4.029	20-39	≥ 4	159	147	122
						40-49		166	154	129
						≥ 50		179	167	142
			III _{qual.cl.}	21-04-3	D.B4.029	20-39	≥ 3	142	130	105
						40-49		148	136	111
						≥ 50		157	145	120
mining timber		14	21-14-CE	D.B1.023	9-26	1.5-5.0	102	90	65	
utility poles		16	21-16-C1	D.B2.020	measured 30cm from the top	15	6	142	130	105
			21-16-C2			15-18	6-12	175	163	138
			21-16-C3			19-21	12-16	208	196	171
scaffold timber		17	21-17-CE	D.B1.025	16-32	≥ 2	102	90	65	
hops poles		18	21-18-CE	D.B3.020	at the narrow end	≥ 8	5-8	122	110	85
shipping timber	mooring posts	19	21-19-C4	D.B1.022	at the narrow end	14-15	≥ 10	188	176	151
	pickets		21-19-C5		Median	7-10	≥ 8	188	176	151
masts		19	21-19-CE	D.B1.020	≥ 20	≥ 10	155	143	118	
fruit and vineyard sticks, vineyard poles		20	21-20-CE	D.B3.020	5-10	1.25-3.0	56	44	19	
pulp wood	round	30	21-30-CE	D.B5.020	7-35	2-8	84	70	51	
	split	31	21-31-CE		7-30	1	74	62	45	

conifers		tree species: S P R U C E (code 22)									
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)				
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)		
resonance wood			22-04-R	D.B3.023	35-39	≥2	429	417	392		
					40-49		604	592	567		
					≥ 50		774	762	737		
LOGS	F	04	22-04-F	D.B4.021	35-39	≥2	233	222	197		
					40-49		254	242	217		
					≥ 50		275	262	237		
	sawlogs		I _{qual.cl.}	22-04-1		D.B4.029	25-39	≥ 4	193	181	156
							40-49		202	190	165
							≥ 50		217	205	180
			II _{qual.cl.}	22-04-2		D.B4.029	20-39	≥ 4	165	153	128
							40-49		172	160	135
							≥ 50		185	173	148
			III _{qual.cl.}	22-04-3		D.B4.029	20-39	≥ 3	146	134	109
							40-49		152	140	115
							≥ 50		161	149	124
mining timber		14	22-14-CE	D.B1.023	9-26	1.5-5.0	102	90	65		
utility poles		16	22-16-C1	D.B2.020	measured 30cm from the top	15	6	142	130	105	
			22-16-C2			15-18	6-12	175	163	138	
			22-16-C3			19-21	12-16	208	196	171	
scaffold timber		17	22-17-CE	D.B1.025	16-32	≥ 2	102	90	65		
hops poles		18	22-18-CE	D.B3.020	at the narrow end	≥ 8	5-8	122	110	85	
shipping timber	mooring posts	19	22-19-C4	D.B1.022	at the narrow end	14-15	≥10	188	176	151	
	pickets		22-19-C5		Median	7-10	≥ 8	188	176	151	
masts		19	22-19-CE	D.B1.020	≥ 20	≥10	155	143	118		
fruit and vineyard sticks, vineyard poles		20	22-20-CE	D.B3.020	5-10	1.25-3.0	56	44	19		
pulp wood	round	30	22-30-CE	D.B5.020	7-35	2-8	84	70	51		
	split	31	22-31-CE		7-30	1	74	62	45		

conifers		tree species: S C O T S P I N E (code 23)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	04	23-04-F	D.B4.021	35-39	≥2	231	220	195	
					40-49		252	240	215	
					≥ 50		273	260	235	
	L		23-04-L	D.B4.023	30-39	≥2	204	192	167	
					40-49		222	210	185	
					≥ 50		242	230	205	
	sawlogs		I _{qual.cl.}	23-04-1	D.B4.029	25-39	≥3	180	168	143
						40-49		189	177	152
						≥ 50		204	192	167
			II _{qual.cl.}	23-04-2	D.B4.029	20-39	≥2.5	159	147	122
						40-49		166	154	129
						≥ 50		179	167	142
III _{qual.cl.}		23-04-3	D.B4.029	20-39	≥2	142	130	105		
				40-49		148	136	111		
				≥ 50		157	145	120		
mining timber		14	23-14-CE	D.B1.023	9-26	1.5-5.0	102	90	65	
utility poles		16	23-16-C1	D.B2.020	measured 30cm from the top	15	6	142	130	105
			23-16-C2			15-18	6-12	175	163	138
			23-16-C3			19-21	12-16	208	196	171
scaffold timber		17	23-17-CE	D.B1.025	16-32	≥ 2	102	90	65	
hops poles		18	23-18-CE	D.B3.020	at the narrow end	≥ 8	5-8	122	110	85
masts		19	23-19-CE	D.B1.020	≥ 20	≥10	155	143	118	
fruit and vineyard sticks, vineyard poles		20	23-20-CE	D.B3.020	5-10	1.25-3.0	56	44	19	
pulp wood	round	30	23-30-CE	D.B5.020	7-35	2-8	84	70	51	
	split	31	23-31-CE		7-30	1	74	62	45	

conifers		tree species: BLACK PINE (code 24)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	04	24-04-F	D.B4.021	35-39	≥2	187	175	150	
					40-49		202	190	165	
					≥ 50		223	211	186	
	L		24-04-L	D.B4.023	30-39	≥2	167	155	130	
					40-49		182	170	145	
					≥ 50		203	191	166	
	sawlogs		I _{qual.cl.}	24-04-1	D.B4.029	25-39	≥3	153	141	116
						40-49		162	150	125
						≥ 50		176	164	139
			II _{qual.cl.}	24-04-2	20-39	≥2.5	130	118	93	
					40-49		137	125	100	
					≥ 50		149	137	112	
III _{qual.cl.}	24-04-3	20-39	≥2	116	104	79				
		40-49		120	108	83				
		≥ 50		130	118	93				
mining timber		14	24-14-CE	D.B1.023	9-26	1.5-5.0	102	90	65	
utility poles		16	24-16-C1	D.B2.020	measured 30cm from the top	15	6	142	130	105
			24-16-C2		15-18	6-12	175	163	138	
			24-16-C3		19-21	12-16	208	196	171	
scaffold timber		17	24-17-CE	D.B1.025	16-32	≥ 2	102	90	65	
hops poles		18	24-18-CE	D.B3.020	at the narrow end	≥ 8	5-8	122	110	85
masts		19	24-19-CE	D.B1.020	≥ 20	≥10	155	143	118	
fruit and vineyard sticks, vineyard poles		20	24-20-CE	D.B3.020	5-10	1.25-3.0	56	44	19	
pulp wood	round	30	24-30-CE	D.B5.020	7-35	2-8	84	70	51	
	split	31	24-31-CE		7-30	1	74	62	45	

conifers		tree species: DOUGLAS FIR (code 26)									
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)				
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)		
LOGS	F	04	26-04-F	D.B4.021	35-39	≥2	231	220	195		
					40-49		252	240	215		
					≥ 50		273	260	235		
	L		26-04-L	D.B4.023	30-39	≥2	204	192	167		
					40-49		222	210	185		
					≥ 50		242	230	205		
	saw logs		I _{qual.cl.}	26-04-1	D.B4.029	25-39	≥3	180	168	143	
						40-49		189	177	152	
						≥ 50		204	192	167	
			II _{qual.cl.}			26-04-2	20-39	≥2.5	159	147	122
							40-49		166	154	129
							≥ 50		179	167	142
III _{qual.cl.}	26-04-3	20-39	≥2	142	130	105					
		40-49		148	136	111					
		≥ 50		157	145	120					
mining timber		14	26-14-CE	D.B1.023	9-26	1.5-5.0	102	90	65		
hops poles		18	26-18-CE	D.B3.020	at the narrow end ≥ 8	5-8	122	110	85		
fruit and vineyard sticks, vineyard poles		20	26-20-CE	D.B3.020	5-10	1.25-3.0	56	44	19		
pulp wood	round	30	26-30-CE	D.B5.020	7-35	2-8	84	70	51		
	split	31	26-31-CE		7-30	1	74	62	45		

conifers		tree species: L A R C H (code 27)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	04	27-04-F	D.B4.021	35-39	≥2	187	175	150	
					40-49		202	190	165	
					≥ 50		223	211	186	
	L		27-04-L	D.B4.023	30-39	≥2	167	155	130	
					40-49		182	170	145	
					≥ 50		203	191	166	
	sawlogs		I _{qual.cl.}	27-04-1	D.B4.029	25-39	≥3	153	141	116
						40-49		162	150	125
			II _{qual.cl.}	27-04-2		20-39	≥2.5	176	164	139
						40-49		130	118	93
			III _{qual.cl.}	27-04-3		20-39	≥2	149	137	112
						40-49		116	104	79
mining timber	14	27-14-CE	D.B1.023	9-26	1.5-5.0	102	90	65		
utility poles	16	27-16-C1	D.B2.020	measured 30cm from the top	15	6	142	130	105	
		27-16-C2		15-18	6-12	175	163	138		
		27-16-C3		19-21	12-16	208	196	171		
scaffold timber	17	27-17-CE	D.B1.025	16-32	≥ 2	102	90	65		
hops poles	18	27-18-CE	D.B3.020	at the narrow end	≥ 8	5-8	122	110	85	
fruit and vineyard sticks, vineyard poles	20	27-20-CE	D.B3.020	5-10	1.25-3.0	56	44	19		
pulp wood	round	30	27-30-CE	D.B5.020	7-35	2-8	84	70	51	
	split	31	27-31-CE		7-30	1	74	62	45	

conifers		tree species: E A S T E R N W H I T E P I N E (code 28)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	04	28-04-F	D.B4.021	35-39	≥2	187	175	150	
					40-49		202	190	165	
					≥ 50		223	211	186	
	L		28-04-L	D.B4.023	30-39	≥2	167	155	130	
					40-49		182	170	145	
					≥ 50		203	191	166	
	sawlogs		I _{qual.cl.}	28-04-1	D.B4.029	25-39	≥3	153	141	116
						40-49		162	150	125
						≥ 50		176	164	139
			II _{qual.cl.}	28-04-2		20-39	≥2.5	130	118	93
						40-49		137	125	100
						≥ 50		149	137	112
III _{qual.cl.}	28-04-3	20-39	≥2	116	104	79				
		40-49		120	108	83				
		≥ 50		130	118	93				
hops poles		18	28-18-CE	D.B3.020	at the narrow end ≥ 8	5-8	122	110	85	
fruit and vineyard sticks, vineyard poles		20	28-20-CE	D.B3.020	5-10	1.25-3.0	56	44	19	
pulp wood	round	30	28-30-CE	D.B5.020	7-35	2-8	84	70	51	
	split	31	28-31-CE		7-30	1	74	62	45	

deciduous hardwoods		tree species: B E E C H (code 41)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	03	41-03-F	D.B4.020	40-49	≥ 2	302	290	265	
					50-59		312	300	275	
					≥ 60		335	323	298	
	L		41-03-L	D.B4.022	35-39	≥ 2	201	189	164	
					40-49		216	204	179	
					≥ 50		236	224	199	
	sawlogs		I _{qual.cl.}	41-03-1	D.B4.028	30-39	≥ 2	141	129	104
						40-49		150	138	113
						≥ 50		166	154	129
			II _{qual.cl.}	41-03-2		25-39	≥ 2	120	108	83
						40-49		127	115	90
						≥ 50		137	125	100
III _{qual.cl.}		41-03-3	25-39	≥ 2		105	93	68		
			40-49			110	98	73		
			≥ 50			114	102	77		
mining timber		14	41-14-TL	D.B1.023	9-26	1.5-5.0	92	80	55	
round cartwheel timber		15	41-15-TL	D.B3.021	15-25	≥ 2	106	94	69	
hops poles		18	41-18-TL	D.B3.020	at the narrow end	≥ 8	5-8	115	103	69
fruit and vineyard sticks, vineyard poles		20	41-20-TL	D.B3.020	5-10	1.25-3.0	56	44	19	
technical round wood		22	41-22-TL	D.B3.020	≥ 12	0.5-1.30	108	96	71	
pulp wood	round	30	41-30-TL	D.B5.020	7-35	2-8	92	78	50	
	split	31	41-31-TL		7-30	1	82	70	45	
fuelwood	round	32	41-32-T1	D.B5.023	≥ 7	>1	92	78	50	
			41-32-T2		≥ 7	>1	81	67	38	
	split	41-33-T6	7-25		1	82	70	45		
		41-33-T7	7-25		1	72	60	35		
palleted fuelwood 1x1x1m		33	41-33-P1				82	70		
palleted fuelwood 1x1x1.8m			41-33-P2				161	149		

deciduous hardwoods		tree species: O A K (code 42)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F ₁	01	42-01-F1	D.B4.031	40-49	≥ 2	517	505	480	
					50-59		542	530	505	
					≥ 60		587	575	550	
	F ₂		42-01-F2		40-49	≥ 2	432	420	395	
					50-59		462	450	425	
					≥ 60		502	490	465	
	sawlogs		I _{qual.cl.}	42-01-1	D.B4.028	30-39	≥ 2	292	280	255
						40-49		312	300	275
						≥ 50		337	325	300
			II _{qual.cl.}	42-01-2		25-39	≥ 2	242	230	205
						40-49		262	250	225
						≥ 50		282	270	245
III _{qual.cl.}		42-01-3	25-39	≥ 2	207	195	170			
			40-49		222	210	185			
			≥ 50		242	230	205			
mining timber		14	42-14-TL	D.B1.023	9-26	1.5-5.0	112	100	75	
round cartwheel timber		15	42-15-TL	D.B3.021	15-24	≥ 2	106	94	69	
utility poles		16	42-16-L1	D.B2.020	measured 30cm from the top	12	6	127	114	86
			42-16-L2			12-17	6-12	163	150	123
			42-16-L3			18-20	12-16	200	186	159
hops poles		18	42-18-TL	D.B3.020	at the narrow end	≥ 8	5-8	115	103	69
fruit and vineyard sticks, vineyard poles		20	42-20-TL	D.B3.020	5-10	1.25-3	56	44	19	
technical round wood		22	42-22-HR	D.B3.020	≥ 12	0.5-1.30	117	105	80	
pulp wood		30	BAM 42-30	D.B5.020	7-35	2-8	92	78	50	
			split		42-31-TL	7-30	1	82	70	45
fuelwood	round	32	I _{qual.cl.}	D.B5.023	≥ 7	>1	92	78	50	
			II _{qual.cl.}		≥ 7	>1	81	67	38	
	split		I _{qual.cl.}		42-33-T6	7-25	1	82	70	45
			II _{qual.cl.}		42-33-T7	7-25	1	72	60	35
palleted fuelwood 1x1x1m		33	42-33-P1				82	70		
palleted fuelwood 1x1x1.8m			42-33-P2				161	149		

deciduous hardwoods		tree species: A S H (code 44)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	02	44-02-F	D.B4.020	35-39	≥ 2	456	444	419	
					40-49		488	476	451	
					≥ 50		534	522	497	
	sawlogs		I _{qual.cl.}	44-02-1	D.B4.028	30-39	≥ 2	242	231	206
						40-49		259	247	222
						≥ 50		282	270	245
			II _{qual.cl.}	44-02-2	D.B4.028	25-39	≥ 2	157	145	120
						40-49		167	155	130
						≥ 50		181	169	144
mining timber		14	44-14-TL	D.B1.023	9-26	1.5-5.0	92	80	55	
round cartwheel timber		15	44-15-TL	D.B3.021	15-24	≥ 2	106	94	69	
hops poles		18	44-18-TL	D.B3.020	at the narrow end ≥ 8	5-8	115	103	69	
fruit and vineyard sticks, vineyard poles		20	44-20-TL	D.B3.020	5-10	1.25-3	56	44	19	
technical round wood		22	44-22-TL	D.B3.020	≥ 12	0.5-1.30	108	96	71	
pulp wood		round	30	44-30-TL	D.B5.020	7-35	2-8	92	78	50
		split	31	44-31-TL		7-30	1	82	70	45
fuelwood	round	I _{qual.cl.}	32	44-32-T1	D.B5.023	≥ 7	>1	92	78	50
		II _{qual.cl.}		44-32-T2		≥ 7	>1	81	67	38
	split	I _{qual.cl.}	44-33-T6	7-25		1	82	70	45	
		II _{qual.cl.}	44-33-T7	7-25		1	72	60	35	
		palleted fuelwood 1x1x1m		33		44-33-P1			82	70
palleted fuelwood 1x1x1.8m			44-33-P2			161	149			

deciduous hardwoods		tree species: S Y C A M O R E (code 45)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	08	45-08-F	D.B4.020	35-39	≥ 2	366	354	329	
					40-49		391	379	354	
					≥ 50		427	415	390	
	L		45-08-L	D.B4.022	30-39	≥ 2	283	271	246	
					40-49		302	290	265	
					≥ 50		330	318	293	
	sawlogs		I _{qual.cl.}	45-08-1	D.B4.028	30-39	≥ 2	238	226	201
						40-49		254	242	217
			≥ 50	277		265	240			
			II _{qual.cl.}	45-08-2		25-39	≥ 2	198	186	161
40-49	211	199			174					
≥ 50	229	217	192							
hops poles		18	45-18-TL	D.B3.020	at the narrow end	≥ 8	5-8	115	103	69
fruit and vineyard sticks, vineyard poles		20	45-20-TL	D.B3.020	5-10	1.25-3.0	56	44	19	
technical round wood		22	45-22-TL	D.B3.020	≥ 12	0.5-1.30	108	96	71	
pulp wood	round	30	45-30-TL	D.B5.020	7-35	2-8	92	78	50	
	split	31	45-31-TL		7-30	1	82	70	45	
fuelwood	round	32	I _{qual.cl.}	D.B5.023	≥ 7	>1	92	78	50	
			II _{qual.cl.}		45-32-T2	≥ 7	>1	81	67	38
	split	33	I _{qual.cl.}		45-33-T6	7-25	1	82	70	45
			II _{qual.cl.}		45-33-T7	7-25	1	72	60	35
palleted fuelwood 1x1x1m			45-33-P1				82	70		
palleted fuelwood 1x1x1.8m			45-33-P2				161	149		

deciduous hardwoods		tree species: E L M (code 46)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius	length	central depository	fco forest road	off the stump (upright)	
					(cm)	(m)				
LOGS	F	08	46-08-F	D.B4.020	35-39	≥ 2	366	354	329	
					40-49		391	379	354	
					≥ 50		427	415	390	
	sawlogs		I _{qual.cl.}	46-08-1	D.B4.028	30-39	≥ 2	238	226	201
						40-49		254	242	217
						≥ 50		277	265	240
			II _{qual.cl.}	46-08-2	25-39	≥ 2	198	186	161	
					40-49		211	199	174	
					≥ 50		229	217	192	
mining timber		14	46-14-TL	D.B1.023	9-26	1.5-5.0	92	80	55	
round cartwheel timber		15	46-15-TL	D.B3.021	15-24	≥ 2	106	94	69	
hops poles		18	46-18-TL	D.B3.020	at the narrow end ≥ 8	5-8	115	103	69	
fruit and vineyard sticks, vineyard poles		20	46-20-TL	D.B3.020	5-10	1.25-3.0	56	44	19	
technical round wood		22	46-22-TL	D.B3.020	≥ 12	0.5-1.30	108	96	71	
pulp wood		round	30	46-30-TL	D.B5.020	7-35	2-8	92	78	50
		split	31	46-31-TL		7-30	1	82	70	45
fuelwood		round	32	I _{qual.cl.}	D.B5.023	≥ 7	>1	92	78	50
				II _{qual.cl.}		46-32-T2	≥ 7	>1	81	67
		split	33	I _{qual.cl.}	46-33-T6	7-25	1	82	70	45
				II _{qual.cl.}	46-33-T7	7-25	1	72	60	35
				palleted fuelwood 1x1x1m		46-33-P1			82	70
palleted fuelwood 1x1x1.8m		46-33-P2			161	149				

deciduous hardwoods			tree species: WILD CHERRY (code 51)								
Name of Assortment			designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
						Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F		10	51-10-F	D.B4.020	35-39	≥ 2	339	327	302	
						40-49		363	351	326	
						≥ 50		397	385	360	
	sawlogs	I _{qual.cl.}		10	51-10-1	D.B4.028	25-39	≥ 2	174	162	137
							40-49		185	173	148
							≥ 50		201	189	164
		II _{qual.cl.}		10	51-10-2	D.B4.028	20-39	≥ 2	141	129	104
							40-49		150	138	113
							≥ 50		162	150	125
hops poles			18	51-18-TL	D.B3.020	at the narrow end	≥ 8	5-8	115	103	69
fruit and vineyard sticks, vineyard poles			20	51-20-TL	D.B3.020	5-10	1.25-3.0	56	44	19	
technical round wood			22	51-22-TL	D.B3.020	≥ 12	0.5-1.30	108	96	71	
pulp wood		round	30	51-30-TL	D.B5.020	≥ 7	≥ 2	92	78	50	
		split	31	51-31-TL		7-30	1	82	70	45	
fuelwood		round	32	I _{qual.cl.}	D.B5.023	≥ 7	>1	92	78	50	
				II _{qual.cl.}		51-32-T2	≥ 7	>1	81	67	38
		split	33	I _{qual.cl.}	51-33-T6	7-25	1	82	70	45	
				II _{qual.cl.}	51-33-T7	7-25	1	72	60	35	
				palleted fuelwood 1x1x1m		51-33-P1			82	70	
palleted fuelwood 1x1x1.8m		51-33-P2			161	149					

deciduous hardwoods		tree species: W A L N U T (code 60)									
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)				
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)		
LOGS	F1	09	60-09-F1	D.B4.030	50-59	≥1.2	351	338	312		
					60-69		375	363	336		
					≥ 70		410	397	371		
	F2		60-09-F2		40-49	335	323	298			
					50-59	358	346	321			
					≥ 60	391	379	354			
	F3		60-09-F3	≥ 40	307	295	272				
	sawlogs		I _{qual.cl.}	60-09-1	D.B4.028	25-39	≥ 2	174	162	137	
						40-49		185	173	148	
						≥ 50		201	189	164	
II _{qual.cl.}		60-09-2	20-39			141	129	104			
			40-49			150	138	113			
			≥ 50			162	150	125			
hops poles		18	60-18-TL	D.B3.020	at the narrow end	≥ 8	5-8	115	103	69	
fruit and vineyard sticks, vineyard poles		20	60-20-TL	D.B3.020	5-10	1.25-3.0	56	44	19		
technical round wood		22	60-22-TL	D.B3.020	≥ 12	0.5-1.30	108	96	71		
pulp wood	round	30	60-30-TL	D.B5.020	7-35	2-8	92	78	50		
	split	31	60-31-TL		7-30	1	82	70	45		
fuelwood	round	32	60-32-T1	D.B5.023	≥ 7	>1	92	78	50		
					II _{qual.cl.}	60-32-T2	≥ 7	>1	81	67	38
	split				I _{qual.cl.}	60-33-T6	7-25	1	82	70	45
					II _{qual.cl.}	60-33-T7	7-25	1	72	60	35
palleted fuelwood 1x1x1m		33	60-33-P1				82	70			
palleted fuelwood 1x1x1.8m			60-33-P2				161	149			

deciduous softwoods			tree species: B I R C H (code 61)								
Name of Assortment			designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
						Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	L		05	61-05-L	D.B4.030	30-39	≥2	105	93	68	
						40-49		111	99	74	
						≥ 50		119	107	82	
	sawlogs	I _{qual.cl.}		05	61-05-1	D.B4.028	25-39	≥ 2	87	75	50
							40-49		92	80	55
							≥ 50		99	87	62
		II _{qual.cl.}		05	61-05-2	D.B4.028	20-39	≥ 2	77	65	40
							40-49		81	69	44
							≥ 50		86	74	49
hops poles			18	61-18-ML	D.B3.020	at the narrow end	≥ 8	5-8	105	93	68
fruit and vineyard sticks, vineyard poles			20	61-20-ML	D.B3.020	5-10	1.25-3.0	56	44	19	
technical round wood			22	61-22-ML	D.B3.020	≥ 12	0.5-1.30	96	84	59	
pulp wood		round	30	61-30-ML	D.B5.020	7-35	2-8	87	73	46	
		split	31	61-31-ML		7-30	1	80	70	43	
fuelwood	round	I _{qual.cl.}	32	61-32-M1	D.B5.023	≥ 7	>1	74	61	34	
		II _{qual.cl.}		60-32-M2		≥ 7	>1	66	52	25	
	split	I _{qual.cl.}	61-33-M6	7-25		1	69	57	32		
		II _{qual.cl.}	61-33-M7	7-25		1	61	49	24		
	palleted fuelwood 1x1x1m			33		61-33-P1				70	58
palleted fuelwood 1x1x1.8m			61-33-P2					128	116		

deciduous hardwoods		tree species: SWEET CHESTNUT (code 62)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	13	62-13-F	D.B4.020	35-39	≥ 2	114	102	77	
					40-49		121	109	84	
					≥ 50		130	118	93	
	sawlogs	I _{qual.cl.}	13	62-13-1	D.B4.028	30-39	≥ 2	100	88	63
						40-49		106	94	69
						≥ 50		114	102	77
II _{qual.cl.}	62-13-2	13	62-13-2	D.B4.028	25-39	≥ 2	91	79	54	
					40-49		96	84	59	
					≥ 50		103	91	66	
mining timber		14	62-14-TL	D.B1.023	9-26	1.5-5.0	92	80	55	
utility poles		16	62-16-L1	D.B2.020	measured 30cm from the top	12	6	127	114	86
			62-16-L2			12-17	6-12	163	150	123
			62-16-L3			18-20	12-16	200	186	159
hops poles		18	62-18-TL	D.B3.020	at the narrow end	≥ 8	5-8	115	103	69
fruit and vineyard sticks, vineyard poles		20	62-20-TL	D.B3.020	5-10	1.25-3	56	44	19	
technical round wood		22	62-22-TL	D.B3.020	≥ 12	0.5-1.30	108	96	71	
pulp wood		30	round	62-30-TL	D.B5.020	7-35	2-8	92	78	50
			split	62-31-TL		7-30	1	82	70	45
fuelwood	round	32	I _{qual.cl.}	62-32-T1	D.B5.023	≥ 7	>1	92	78	50
			II _{qual.cl.}	62-32-T2		≥ 7	>1	81	67	38
	split	33	I _{qual.cl.}	62-33-T6		7-25	1	82	70	45
			II _{qual.cl.}	62-33-T7		7-25	1	72	60	35
			palleted fuelwood 1x1x1m			62-33-P1				82
palleted fuelwood 1x1x1.8m			62-33-P2				161	149		

deciduous hardwoods		tree species: H O R N B E A M (code 63)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	07	63-07-F	D.B4.020	35-39	≥ 2	120	108	83	
					40-49		127	115	90	
					≥ 50		137	125	100	
	sawlogs		I _{qual.cl.}	63-07-1	D.B4.028	35-39	≥ 2	120	108	83
						40-49		122	110	85
						≥ 50		130	118	93
			II _{qual.cl.}	63-07-2	20-39	≥ 2	107	95	70	
					40-49		112	100	75	
					≥ 50		119	107	82	
mining timber		14	63-14-TL	D.B1.023	9-26	1.5-5.0	92	80	55	
hops poles		18	63-18-TL	D.B3.020	at the narrow end ≥ 8	5-8	115	103	69	
fruit and vineyard sticks, vineyard poles		20	63-20-TL	D.B3.020	5-10	1.25-3.0	56	44	19	
technical round wood		22	63-22-TL	D.B3.020	≥ 12	0.5-1.30	108	96	71	
pulp wood	round	30	63-30-TL	D.B5.020	7-35	2-8	92	78	50	
	split	31	63-31-TL		7-30	1	82	70	45	
fuelwood	round	32	63-32-T1	D.B5.023	≥ 7	>1	92	78	50	
			63-32-T2		≥ 7	>1	81	67	38	
	split	63-33-T6	7-25		1	82	70	45		
		63-33-T7	7-25		1	72	60	35		
palleted fuelwood 1x1x1m		33	63-33-P1				82	70		
palleted fuelwood 1x1x1.8m			63-33-P2				161	149		

deciduous hardwoods		tree species: B L A C K L O C U S T (code 64)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	06	64-06-F	D.B4.020	35-39	≥ 2	130	118	93	
					40-49		137	125	100	
					≥ 50		147	135	110	
	I _{qual.cl.}		64-06-1	D.B4.028	25-39	≥ 2	130	118	93	
					40-49		132	120	95	
					≥ 50		140	128	103	
	II _{qual.cl.}		64-06-2	D.B4.028	20-39	≥ 2	117	105	80	
					40-49		122	110	85	
					≥ 50		129	117	92	
mining timber		14	64-14-TL	D.B1.023	9-26	1.5-5.0	112	100	75	
round cartwheel timber		15	64-15-TL	D.B3.021	15-24	≥ 2	106	94	69	
utility poles		16	64-16-L1	D.B2.020	measured 30cm from the top	12	6	127	114	86
			64-16-L2			12-17	6-12	163	150	123
			64-16-L3			18-20	12-16	200	186	159
hops poles		18	64-18-TL	D.B3.020	at the narrow end	≥ 8	5-8	115	103	69
fruit and vineyard sticks, vineyard poles		20	64-20-TL	D.B3.020	5-10	1.25-3	56	44	19	
technical round wood		22	64-22-TL	D.B3.020	≥ 12	0.5-1.30	108	96	71	
pulp wood		30	64-30-TL	D.B5.020	7-35	2-8	92	78	50	
			64-31-TL		7-30	1	82	70	45	
fuelwood	round	32	64-32-T1	D.B5.023	≥ 7	>1	92	78	50	
			64-32-T2		≥ 7	>1	81	67	38	
	split		64-33-T6		7-25	1	82	70	45	
			64-33-T7		7-25	1	72	60	35	
palleted fuelwood 1x1x1m		33	64-33-P1				82	70		
palleted fuelwood 1x1x1.8m			64-33-P2				161	149		

deciduous softwoods		tree species: L I M E (code 65)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	11	65-11-F	D.B4.020	35-39	≥ 2	217	205	180	
					40-49		231	219	194	
					≥ 50		251	239	214	
	L		65-11-L	D.B4.022	30-39	≥ 2	160	148	123	
					40-49		170	158	133	
					≥ 50		184	172	147	
	sawlogs		I _{qual.cl.}	65-11-1	D.B4.028	25-39	≥ 2	132	120	95
						40-49		137	125	100
			II _{qual.cl.}	65-11-2		20-39	≥ 2	148	136	118
						40-49		116	104	79
40-49		122				110		85		
≥ 50		130				118		93		
hops poles		18	65-18-ML	D.B3.020	at the narrow end	≥ 8	5-8	105	93	68
fruit and vineyard sticks, vineyard poles		20	65-20-ML	D.B3.020	5-10	1.25-3	56	44	19	
technical round wood		22	65-22-ML	D.B3.020	≥ 12	0.5-1.30	96	84	59	
pulp wood	round	30	65-30-ML	D.B5.020	7-35	2-8	87	73	46	
	split	31	65-31-ML		7-30	1	80	68	43	
fuelwood	round	32	I _{qual.cl.}	65-32-M1	D.B5.023	≥ 7	>1	74	61	34
			II _{qual.cl.}	65-32-M2		≥ 7	>1	66	52	25
	split	33	I _{qual.cl.}	65-33-M6		7-25	1	69	57	32
			II _{qual.cl.}	65-33-M7		7-25	1	61	49	24
palleted fuelwood 1x1x1m			65-33-P1				70	58		
palleted fuelwood 1x1x1.8m			65-33-P2				128	116		

deciduous hardwoods		tree species: T U R K E Y O A K (code 66)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	12	66-12-F	D.B4.020	35-39	≥ 2	114	102	77	
					40-49		121	109	84	
					≥ 50		130	118	93	
	sawlogs		I _{qual.cl.}	66-12-1	D.B4.028	30-39	≥ 2	100	88	63
						40-49		106	94	69
						≥ 50		114	102	77
			II _{qual.cl.}	66-12-2	25-39	≥ 2	91	79	54	
					40-49		96	84	59	
					≥ 50		103	91	66	
mining timber		14	66-14-TL	D.B1.023	9-26	1.5-5.0	92	80	55	
round cartwheel timber		15	66-15-TL	D.B3.021	15-24	≥ 2	106	94	69	
hops poles		18	66-18-TL	D.B3.020	at the narrow end	≥ 8	5-8	115	103	69
fruit and vineyard sticks, vineyard poles		20	66-20-TL	D.B3.020	5-10	1.25-3.0	56	44	19	
technical round wood		22	66-22-TL	D.B3.020	≥ 12	0.5-1.30	108	96	71	
pulp wood		round	30	66-30-TL	D.B5.020	7-35	2-8	92	78	50
		split	31	66-31-TL		7-30	1	82	70	45
fuelwood	round	I _{qual.cl.}	32	66-32-T1	D.B5.023	≥ 7	>1	92	78	50
		II _{qual.cl.}		66-32-T2		1 ≥ 7	>1	81	67	38
	split	I _{qual.cl.}	66-33-T6	7-25		1	82	70	45	
		II _{qual.cl.}	66-33-T7	7-25		1	72	60	35	
		palleted fuelwood 1x1x1m		33		66-33-P1				82
palleted fuelwood 1x1x1.8m			66-33-P2				161	149		

deciduous hardwoods			tree species: FIELD MAPLE (code 67)								
Name of Assortment			designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
						Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	sawlogs	I _{qual.cl.}	13	67-13-1	D.B4.028	30-39	≥ 2	100	88	63	
						40-49		106	94	69	
						≥ 50		114	102	77	
		II _{qual.cl.}		67-13-2		25-39	≥ 2	91	79	54	
						40-49		96	84	59	
						≥ 50		103	91	66	
round cartwheel timber			15	67-15-TL	D.B3.021	15-24	≥ 2	106	94	69	
hops poles			18	67-18-TL	D.B3.020	at the narrow end	≥ 8	5-8	115	103	69
fruit and vineyard sticks, vineyard poles			20	67-20-TL	D.B3.020	5-10	1.25-3	56	44	19	
technical round wood			22	67-22-TL	D.B3.020	≥ 12	0.5-1.30	108	96	71	
pulp wood		round	30	67-30-TL	D.B5.020	7-35	2-8	92	78	50	
		split	31	67-31-TL		7-30	1	82	70	45	
fuelwood	round	I _{qual.cl.}	32	67-32-T1	D.B5.023	≥ 7	>1	92	78	50	
		II _{qual.cl.}		67-32-T2		1≥ 7	>1	81	67	38	
	split	I _{qual.cl.}	67-33-T6	7-25		1	82	70	45		
		II _{qual.cl.}	67-33-T7	7-25		1	72	60	35		
		palleted fuelwood 1x1x1m				67-33-P1			82	70	
palleted fuelwood 1x1x1.8m			67-33-P2			161	149				

deciduous softwoods		tree species: P O P L A R (code 80)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	05	80-05-F	D.B4.020	35-39	≥ 2	114	102	77	
					40-49		121	109	84	
					≥ 50		130	118	93	
	L		80-05-L	D.B4.022	30-39	≥ 2	105	93	68	
					40-49		111	99	74	
					≥ 50		119	107	82	
	sawlogs		I _{qual.cl.}	80-05-1	D.B4.028	25-39	≥ 2	87	75	50
						40-49		92	80	55
			II _{qual.cl.}	80-05-2		20-39	≥ 2	77	65	40
						40-49		81	69	44
						≥ 50		86	74	49
						at the narrow end		≥ 8	5-8	105
hops poles		18	80-18-ML	D.B3.020	5-10	1.25-3	56	44	19	
fruit and vineyard sticks, vineyard poles		20	80-20-ML	D.B3.020	≥ 12	0.5-1.30	96	84	59	
technical round wood		22	80-22-ML	D.B3.020	7-35	2-8	87	73	46	
pulp wood	round	30	80-30-ML	D.B5.020	7-30	1	80	68	43	
	split	31	80-31-ML		7-30	1	80	68	43	
fuelwood	round	32	D.B5.023	I _{qual.cl.}	≥ 7	>1	74	61	34	
				II _{qual.cl.}	≥ 7	>1	66	52	25	
	split	33		I _{qual.cl.}	7-25	1	69	57	32	
				II _{qual.cl.}	7-25	1	61	49	24	
palleted fuelwood 1x1x1m			80-33-P1				70	58		
palleted fuelwood 1x1x1.8m			80-33-P2				128	116		

deciduous softwoods		tree species: A L D E R (code 82)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	05	82-05-F	D.B4.020	35-39	≥ 2	135	123	98	
					40-49		142	130	105	
					≥ 50		151	139	114	
	L	05	82-05-L	D.B4.022	30-39	≥ 2	126	114	89	
					40-49		132	120	95	
					≥ 50		140	128	103	
	sawlogs	I _{qual.cl.}	41	82-41-1	D.B4.028	25-39	≥ 2	109	97	72
						40-49		112	100	75
						≥ 50		119	107	82
		II _{qual.cl.}		82-41-2		20-39	≥ 2	98	86	61
40-49						102		90	65	
≥ 50						107		95	70	
hops poles		18	82-18-ML	D.B3.020	at the narrow end	≥ 8	5-8	105	93	68
fruit and vineyard sticks, vineyard poles		20	82-20-ML	D.B3.020	5-10	1.25-3	56	44	19	
technical round wood		22	82-22-ML	D.B3.020	≥ 12	0.5-1.30	96	84	59	
pulp wood	round	30	82-30-ML	D.B5.020	7-35	2-8	87	73	46	
	split	31	82-31-ML		7-30	1	80	68	43	
fuelwood	round	32	82-32-M1	D.B5.023	≥ 7	>1	74	61	34	
			82-32-M2		≥ 7	>1	66	52	25	
	split	33	82-33-M6		7-25	1	69	57	32	
			82-33-M7		7-25	1	61	49	24	
	palleted fuelwood 1x1x1m				82-33-P1				70	58
palleted fuelwood 1x1x1.8m			82-33-P2				128	116		

deciduous softwoods		tree species: I V A (code 83)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
hops poles		18	83-18-ML	D.B3.020	at the narrow end	≥ 8	5-8	105	93	68
fruit and vineyard sticks, vineyard poles		20	83-20-ML	D.B3.020		5-10	1.25-3	56	44	19
technical round wood		22	83-22-ML	D.B3.020		≥ 12	0.5-1.30	96	84	59
pulp wood		round	30	83-30-ML	D.B5.020	7-35	2-8	87	73	46
		split	31	83-31-ML		7-30	1	80	68	43
fuelwood	round	I qual.cl.	32	83-32-M1	D.B5.023	≥ 7	>1	74	61	34
		II qual.cl.		83-32-M2		≥ 7	>1	66	52	25
	split	I qual.cl.	83-33-M6	7-25		1	69	57	32	
		II qual.cl.	83-33-M7	7-25		1	61	49	24	
palleted fuelwood 1x1x1m			33	83-33-P1				70	58	
palleted fuelwood 1x1x1.8m				83-33-P2				128	116	

deciduous softwoods		tree species: W I L L O W (code 90)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	05	90-05-F	D.B4.020	35-39	≥ 2	114	102	77	
					40-49		121	109	84	
					≥ 50		130	118	93	
	L		90-05-L	D.B4.022	30-39	≥ 2	105	93	68	
					40-49		111	99	74	
					≥ 50		119	107	82	
	<i>sawlogs</i>		I qual.cl.	90-05-1	D.B4.028	25-39	≥ 2	87	75	50
						40-49		92	80	55
			II qual.cl.	90-05-2		20-39	≥ 2	77	65	40
						40-49		81	69	44
				≥ 50		86	74	49		
hops poles		18	90-18-ML	D.B3.020	at the narrow end	≥ 8	5-8	105	93	68
fruit and vineyard sticks, vineyard poles		20	90-20-ML	D.B3.020	5-10		1.25-3.0	56	44	19
technical round wood		22	90-22-ML	D.B3.020	≥ 12		0.5-1.30	96	84	59
pulp wood	round	30	90-30-ML	D.B5.020	7-35		2-8	87	73	46
	split	31	90-31-ML		7-30		1	80	68	43
fuelwood	round	32	90-32-M1	D.B5.023	≥ 7		>1	74	61	34
					90-32-M2	≥ 7		>1	66	52
	split	33	90-33-M6		7-25		1	69	57	32
			90-33-M7		7-25		1	61	49	24
	palleted fuelwood 1x1x1m				90-33-P1					70
palleted fuelwood 1x1x1.8m			90-33-P2					128	116	

deciduous softwoods		tree species: E U R O P E A N A S P E N (šifra 91)								
Name of Assortment		designation of assortment	code	JUS standard (designation)	dimensions		Price (BAM/m ³)			
					Median radius (cm)	length (m)	central depository	fco forest road	off the stump (upright)	
LOGS	F	05	91-05-F	D.B4.020	35-39	≥ 2	114	102	77	
					40-49		121	109	84	
					≥ 50		130	118	93	
	L	05	91-05-L	D.B4.022	30-39	≥ 2	105	93	68	
					40-49		111	99	74	
					≥ 50		119	107	82	
	sawlogs	I _{qual.cl.}	05	91-05-1	D.B4.028	25-39	≥ 2	87	75	50
						40-49		92	80	55
						≥ 50		99	87	62
		II _{qual.cl.}	05	91-05-2	D.B4.028	20-39	≥ 2	77	65	40
						40-49		81	69	44
						≥ 50		86	74	49
hops poles		18	91-18-ML	D.B3.020	at the narrow end	≥ 8	5-8	105	93	68
fruit and vineyard sticks, vineyard poles		20	91-20-ML	D.B3.020	5-10	1.25-3.0	56	44	19	
technical round wood		22	91-22-ML	D.B3.020	≥ 12	0.5-1.30	96	84	59	
pulp wood	round	30	91-30-ML	D.B5.020	7-35	2-8	87	73	46	
	split	31	91-31-ML		7-30	1	80	68	43	
fuelwood	round	32	I _{qual.cl.}	91-32-M1	≥ 7	>1	74	61	34	
			II _{qual.cl.}	91-32-M2	≥ 7	>1	66	52	25	
	split	33	I _{qual.cl.}	91-33-M6	7-25	1	69	57	32	
			II _{qual.cl.}	91-33-M7	7-25	1	61	49	24	
palleted fuelwood 1x1x1m			91-33-P1				70	58		
palleted fuelwood 1x1x1.8m			91-33-P2				128	116		

C J E N O V N I K
ostalih šumskih proizvoda (šumska biomasa)
 -sa šifarnikom-

conifers		tree species: F I R (code 21)					
Forest biomass	Designation of product	code	JUS (designation)	Length (m)	Price (BAM/m³)		
					central depository	fco forest road	off the stump (upright)
forest waste	34	21-34-CE	D.B5.023	0.15-1.2	0	35	10
conifers		tree species: S P R U C E (code 22)					
Forest biomass	Designation of product	code	JUS (designation)	Length (m)	Price (BAM/m³)		
					central depository	fco forest road	off the stump (upright)
forest waste	34	22-34-CE	D.B5.023	0.15-1.2	0	35	10
conifers		tree species: S C O T S P I N E (code 23)					
Forest biomass	Designation of product	code	JUS (designation)	Length (m)	Price (BAM/m³)		
					central depository	fco forest road	off the stump (upright)
forest waste	34	23-34-CE	D.B5.023	0.15-1.2	0	35	10
conifers		tree species: B L A C K P I N E (code 24)					
Forest biomass	Designation of product	code	JUS (designation)	Length (m)	Price (BAM/m³)		
					central depository	fco forest road	off the stump (upright)
forest waste	34	24-34-CE	D.B5.023	0.15-1.2	0	35	10
conifers		tree species: D O U G L A S F I R (code 26)					
Forest biomass	Designation of product	code	JUS (designation)	Length (m)	Price (BAM/m³)		
					central depository	fco forest road	off the stump (upright)
forest waste	34	26-34-CE	D.B5.023	0.15-1.2	0	35	10
conifers		tree species: L A R C H (code 27)					
Forest biomass	Designation of product	code	JUS (designation)	Length (m)	Price (BAM/m³)		
					central depository	fco forest road	off the stump (upright)
forest waste	34	27-34-CE	D.B5.023	0.15-1.2	0	35	10
conifers		tree species: E A S T E R N W H I T E P I N E (code 28)					
Forest biomass	Designation of product	code	JUS (designation)	Length (m)	Price (BAM/m³)		
					central depository	fco forest road	off the stump (upright)
forest waste	34	28-34-CE	D.B5.023	0.15-1.2	0	35	10

deciduous hardwoods	tree species: B E E C H (code 41)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m ³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	41-33-T3	D.B5.023	3-7	0.9-1.2	0	45	20
stumps		41-33-T4		15-40		0	42	17
forest waste		41-33-T5			0.15-1.2		0	42
deciduous hardwoods	tree species: O A K t(code 42)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m ³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	42-33-T3	D.B5.023	3-7	0.9-1.2	0	45	20
stumps		42-33-T4		15-40		0	42	17
forest waste		42-33-T5			0.15-1.2		0	42
deciduous hardwoods	tree species: A S H (code 44)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m ³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	44-33-T3	D.B5.023	3-7	0.9-1.2	0	45	20
stumps		44-33-T4		15-40		0	42	17
forest waste		44-33-T5			0.15-1.2		0	42
deciduous hardwoods	tree species: S Y C A M O R E (code 45)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m ³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	45-33-T3	D.B5.023	3-7	0.9-1.2	0	45	20
stumps		45-33-T4		15-40		0	42	17
forest waste		45-33-T5			0.15-1.2		0	42
deciduous hardwoods	tree species: E L M (code 46)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m ³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	46-33-T3	D.B5.023	3-7	0.9-1.2	0	45	20
stumps		46-33-T4		15-40		0	42	17
forest waste		46-33-T5			0.15-1.2		0	42

deciduous hardwoods	tree species: W I L D C H E R R Y (code 51)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	51-33-T3	D.B5.023	3-7	0.9-1.2	0	45	20
stumps		51-33-T4		15-40		0	42	17
forest waste		51-33-T5			0.15-1.2		0	42
deciduous hardwoods	tree species: W A L N U T (code 60)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	60-33-T3	D.B5.023	3-7	0.9-1.2	0	45	20
stumps		60-33-T4		15-40		0	42	17
forest waste		60-33-T5			0.15-1.2		0	42
deciduous softwoods	tree species: B I R C H (code 61)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	61-33-M3	D.B5.023	3-7	0.9-1.2	0	35	16
stumps		61-33-M4		15-40		0	34	15
forest waste		61-33-M5			0.15-1.2		0	34
deciduous hardwoods	tree species: S W E E T C H E S T N U T (code 62)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	62-33-T3	D.B5.023	3-7	0.9-1.2	0	45	20
stumps		62-33-T4		15-40		0	42	17
forest waste		62-33-T5			0.15-1.2		0	42
deciduous hardwoods	tree species: H O R N B E A M (code 63)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	63-33-T3	D.B5.023	3-7	0.9-1.2	0	45	20
stumps		63-33-T4		15-40		0	42	17
forest waste		63-33-T5			0.15-1.2		0	42

deciduous hardwoods	tree species: B L A C K L O C U S T (code 64)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m ³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	64-33-T3	D.B5.023	3-7	0.9-1.2	0	45	20
stumps		64-33-T4		15-40		0	42	17
forest waste		64-33-T5			0.15-1.2		0	42
deciduous softwoods	tree species: L I M E (code 65)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m ³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	65-33-M3	D.B5.023	3-7	0.9-1.2	0	35	16
stumps		65-33-M4		15-40		0	34	15
forest waste		65-33-M5			0.15-1.2		0	34
deciduous hardwoods	tree species: T U R K E Y O A K (code 66)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m ³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	66-33-T3	D.B5.023	3-7	0.9-1.2	0	45	20
stumps		66-33-T4		15-40		0	42	17
forest waste		66-33-T5			0.15-1.2		0	42
deciduous hardwoods	tree species: F I E L D M A P L E (code 67)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m ³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	67-33-T3	D.B5.023	3-7	0.9-1.2	0	45	20
stumps		67-33-T4		15-40		0	42	17
forest waste		67-33-T5			0.15-1.2		0	42
deciduous softwoods	tree species: P O P L A R (code 80)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m ³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	80-33-M3	D.B5.023	3-7	0.9-1.2	0	35	16
stumps		80-33-M4		15-40		0	34	15
forest waste		80-33-M5			0.15-1.2		0	34

deciduous softwoods	tree species: A L D E R (code 82)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m ³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	82-33-M3	D.B5.023	3-7	0.9-1.2	0	35	16
stumps		82-33-M4		15-40		0	34	15
forest waste		82-33-M5			0.15-1.2	0	34	15
deciduous softwoods	tree species: I V A (code 83)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m ³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	83-33-M3	D.B5.023	3-7	0.9-1.2	0	35	16
stumps		83-33-M4		15-40		0	34	15
forest waste		83-33-M5			0.15-1.2	0	34	15
deciduous softwoods	tree species: W I L L O W (code 90)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m ³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	90-33-M3	D.B5.023	3-7	0.9-1.2	0	35	16
stumps		90-33-M4		15-40		0	34	15
forest waste		90-33-M5			0.15-1.2	0	34	15
deciduous softwoods	tree species: E U R O P E A N A S P E N (šifra 91)							
Forest biomass	Designation of product	code	JUS (designation)	dimensions		Price (BAM/m ³)		
				Median radius (cm)	Length (m)	central depository	fco forest road	off the stump (upright)
woodchips	33	91-33-M3	D.B5.023	3-7	0.9-1.2	0	35	16
stumps		91-33-M4		15-40		0	34	15
forest waste		91-33-M5			0.15-1.2	0	34	15

TERMS OF SALE

1. The prices on the Price List are given without VAT.
2. The forest wood assortment and biomass listed in the Price List have been produced and marketed in compliance with the JUS (Yugoslav Standard) applicable to each wood assortment and product.

The trade of forest wood assortments and biomass complies with relevant laws, bylaws governing the field (including stamping, numbering, and issuing accompanying documentation), and internal regulations of the Public Company.

The trade of the forest biomass complies with the relevant laws, bylaws, and internal regulations of the Public Company, which govern this field of activity.

3. The prices listed on the Price List represent minimum starting prices. Trading forest wood assortments and biomass at prices lower than those specified in the Price List is prohibited.

3.1 Exceptionally, trading forest wood and biomass at lower prices is permitted only for wood assortments and forest biomass of inferior quality. This is allowed after formal proceedings have been completed and it has been determined that they cannot reach the selling price specified in this Price List. The decision to decrease prices for these assortments and products (and similar cases) is to be made by the Management of the PC, upon the proposal of the forest holding director.

- 3.1.** Trading forest wood assortments and biomass at prices higher than those specified in the Price List is possible if there are market opportunities for such activities. The decision to increase prices for these assortments and products (and similar cases) is to be made by the Management of the PC, upon the proposal of the forest holding director.

4. Applying the Price List, the following conversion coefficients are to be used:

- from spatial (prm) to cubic units (m³)

assortment type	1 prm to m ³	1 m ³ to prm
technical split wood	0.80	1.25
technical round wood	0.75	1.33
pulp wood	0.70	1.43
Fuelwood I _{qual.cl.}	0.69	1.45
Fuelwood II _{qual.cl.}	0.65	1.54
woodchips	0.55	1.82
stumps	0.45	2.22
sawmill waste	0.50	2.00
forest waste	0.40	2.50

- from spatial (prm), and cubic units (m³) to mass units (kg).

assortment type		1 prm to kg	1 m ³ to kg
coniferous tree logs		-	850
deciduous tree logs		-	1200
pulp wood	conifers	600	858
	deciduous hardwoods	700	1000
	deciduous softwoods	600	858
fuelwood		600	870

- **The transportation of woodchips (shavings) is conducted using the following conversion coefficients: 1 m³ = 1,4 prm = 2,5 bulk m³.**
5. **Upon the buyer's request, special dimensions of the selling price can be increased by mutual agreement up to 40%.**
 6. **It is prohibited to sell forest wood assortment on the stump (in upright position), except in cases of providing local villagers with fuel wood from the thinning, and taking measures of stand melioration, also in departments where direct conversion is intended in accordance with the Forest Management Plan.**
 7. **The prices in this Price List are used as the base for calculating damages of forest products in case they have been inflicted (applying the Regulation on Forest Compensation Tariffs).**
 8. **The Price List of forest wood assortment will be submitted for the approval of the Government of the Republic of Srpska in the function of the Public Company Assembly pursuant to Article 32 of the Statute of the Public Forestry Company "Šume Republike Srpske", Inc. Sokolac**
 9. **On the day when this Price List comes to force, the Price List of Forest Wood Assortment number 01/0914-118/22 dated 23/11/2022 is no longer valid.**
 10. **This Price List comes to force on the eighth day since the day it has been announced on the noticeboard and the internet site of the Public Company, after the Decision on the Price List Approval has been published and become effective. The Decision will be issued by the Government of the Republic of Srpska in the function of the Public Company Assembly**

The president of the Supervisory Board

Number: 01/0914-35/23

Date: 6 April 2023

Biljana Marković, PhD

The Price List was published on the noticeboard of the Public Company and the internet site of the Public Forestry Company "Šume Republike Srpske", Inc. Sokolac on the day _____

**Acting director for property-legal,
personnel, and general affairs**

Jelena Božić, LLB

стр. 34/34